


07 起重性能表

主臂 (T)

单位: t




 m	12.9	17.6	22.3	29.4	36.4	43.5	50.5	20.0	27.0	34.1	41.1	24.7	31.7	38.8	45.8	 m
3	100.0	75.0						42.0								3
3.5	80.0	75.0	58.5					42.0								3.5
4	78.0	70.0	58.5					42.0				42.0				4
4.5	74.1	69.0	58.5					42.0	39.5			42.0				4.5
5	69.2	66.0	58.5	42.0				42.0	39.5			42.0				5
5.5	64.8	62.4	56.0	42.0				42.0	40.0			42.0	39.0			5.5
6	60.5	58.0	56.0	41.0				42.0	40.5	28.5		42.0	39.5			6
6.5	55.4	52.9	52.5	40.0	36.0			42.0	40.8	28.0		42.0	39.5			6.5
7	51.0	48.6	48.3	40.0	36.0			42.0	41.0	27.0		42.0	39.5	28.0		7
7.5	47.2	44.9	44.6	40.0	36.0			42.0	41.2	26.0	19.0	41.5	39.5	27.5		7.5
8	43.9	41.7	41.3	40.0	36.0	28.0		42.0	41.5	25.6	19.0	41.0	39.0	27.0		8
9	37.5	36.6	36.3	36.5	33.5	27.0		39.3	39.0	24.1	19.0	38.0	36.0	26.0	19.0	9
10		32.5	32.3	32.5	31.0	25.5	16.5	35.1	34.5	22.3	18.5	34.0	33.9	24.0	18.5	10
11		29.0	28.5	29.0	28.5	24.5	16.5	31.2	31.0	21.5	17.5	30.5	31.2	23.0	17.8	11
12		25.8	25.5	26.0	26.5	23.0	16.5	28.2	28.2	21.0	16.5	27.6	29.0	22.0	17.0	12
14			21.0	22.0	22.3	20.5	15.5	23.1	24.0	19.0	15.5	23.0	24.0	20.5	15.8	14
16			17.5	18.5	18.9	18.3	14.5	19.5	20.6	17.2	14.5	19.5	20.0	18.5	14.8	16
18			15.0	16.0	15.9	15.5	13.5		17.5	15.2	13.0	17.0	17.0	16.1	13.4	18
20				14.0	13.4	13.2	12.8		15.5	13.6	12.0	14.8	14.5	14.0	12.3	20
22				11.9	11.2	11.6	11.6		13.8	12.1	11.2		13.0	12.5	11.1	22
24				10.0	9.4	10.0	10.0			10.9	10.2		11.4	11.0	10.1	24
26					8.0	8.5	8.6				9.2		9.8	9.2	9.2	26
28					6.9	7.6	7.5				8.4			8.2	8.2	28
30					6.0	6.8	6.6				7.7			7.5	7.4	30
32						6.0	5.8				7.0			6.9	6.6	32
34						5.5	5.2				6.4				6.0	34
36						4.9	4.5								5.2	36
38							4.0								4.8	38
40							3.5									40
42							3.2									42
 n	14	10	8	6	5	4	3	6	6	4	3	6	6	4	3	 n
 %	0	50	100	100	100	100	100	0	0	0	0	50	50	50	50	 %
 %	0	0	0	25	50	75	100	25	50	75	100	25	50	75	100	 %

07 起重性能表

主臂 (T)

单位: t




 m	12.9	17.6	22.3	29.4	36.4	43.5	50.5	20.0	27.0	34.1	41.1	24.7	31.7	38.8	45.8	 m
3	100.0	75.0						42.0								3
3.5	80.0	75.0	58.5					42.0								3.5
4	78.0	70.0	58.5					42.0				42.0				4
4.5	74.1	69.0	58.5					42.0	39.5			42.0				4.5
5	69.2	66.0	58.5	42.0				42.0	39.5			42.0				5
5.5	64.8	62.4	56.0	42.0				42.0	40.0			42.0	39.0			5.5
6	60.5	58.0	56.0	41.0				42.0	40.5	28.5		42.0	39.5			6
6.5	55.4	52.9	52.5	40.0	36.0			42.0	40.8	28.0		42.0	39.5			6.5
7	51.0	48.6	48.3	40.0	36.0			42.0	41.0	27.0		42.0	39.5	28.0		7
7.5	47.2	44.9	44.6	40.0	36.0			42.0	41.2	26.0	19.0	41.5	39.5	27.5		7.5
8	43.9	41.7	41.3	40.0	36.0	28.0		42.0	41.5	25.6	19.0	41.0	39.0	27.0		8
9	37.5	36.6	36.3	36.5	33.5	27.0		39.3	39.0	24.1	19.0	38.0	36.0	26.0	19.0	9
10		32.5	32.3	32.5	31.0	25.5	16.5	35.1	34.5	22.3	18.5	34.0	33.9	24.0	18.5	10
11		29.0	28.5	29.0	28.5	24.5	16.5	31.2	31.0	21.5	17.5	30.5	31.2	23.0	17.8	11
12		25.8	25.5	26.0	26.5	23.0	16.5	28.2	28.2	21.0	16.5	27.6	29.0	22.0	17.0	12
14			21.0	22.0	22.3	20.5	15.5	23.1	24.0	19.0	15.5	23.0	24.0	20.5	15.8	14
16			17.3	18.5	18.9	18.3	14.5	19.5	20.6	17.2	14.5	19.5	20.0	18.5	14.8	16
18			13.7	15.2	15.9	15.5	13.5		17.5	15.2	13.0	15.8	16.6	16.1	13.4	18
20				12.4	13.2	13.2	12.8		14.7	13.6	12.0	13.1	13.9	14.0	12.3	20
22				10.3	11.1	11.6	11.6		12.5	12.1	11.2		11.7	12.2	11.1	22
24				8.6	9.4	9.9	10.0			10.9	10.2		10.0	10.4	10.1	24
26					7.9	8.5	8.6			9.6	9.2		8.5	9.0	9.2	26
28					6.8	7.3	7.5			8.5	8.4			7.8	8.1	28
30					5.7	6.2	6.6				7.7			6.8	7.1	30
32						5.4	5.7				6.8			5.9	6.2	32
34						4.6	5.0				6.1				5.5	34
36						4.0	4.3								4.8	36
38							3.7								4.2	38
40							3.2									40
42							2.8									42
 n	14	10	8	6	5	4	3	6	6	4	3	6	6	4	3	 n
 %	0	50	100	100	100	100	100	0	0	0	0	50	50	50	50	 %
 %	0	0	0	25	50	75	100	25	50	75	100	25	50	75	100	 %

07 起重性能表

主臂+副臂 (TJ)

单位:t




吊钩高度 m	50.5m+10.2m			50.5m+17.5m			吊钩高度 m
	0	15	30	0	15	30	
80.0	6.5	5.0	3.6	3.5	2.5	1.8	80.0
78.0	6.5	5.0	3.5	3.4	2.4	1.7	78.0
76.0	6.2	4.8	3.4	3.3	2.3	1.7	76.0
74.0	5.5	4.5	3.3	3.2	2.2	1.6	74.0
72.0	5.0	4.2	3.2	2.9	2.1	1.6	72.0
70.0	4.8	4.0	3.1	2.8	2.0	1.6	70.0
68.0	4.5	3.8	3.0	2.7	1.9	1.5	68.0
66.0	4.2	3.6	2.9	2.5	1.9	1.5	66.0
64.0	3.9	3.4	2.8	2.4	1.8	1.5	64.0
62.0	3.6	3.2	2.7	2.3	1.7	1.4	62.0
60.0	3.3	3.0	2.6	2.1	1.7	1.4	60.0
58.0	3.1	2.8	2.5	2.0	1.6	1.4	58.0
56.0	2.9	2.6	2.3	1.9	1.6	1.3	56.0
54.0	2.7	2.4	2.2	1.8	1.5	1.2	54.0
52.0	2.4	2.2	2.0	1.7	1.4	1.2	52.0
50.0	2.2	1.9	1.8	1.6	1.3	1.1	50.0
48.0	2.0	1.8	1.6	1.5	1.2	1.1	48.0
46.0	1.8	1.6	1.5	1.4	1.2	1.1	46.0
44.0	1.6	1.5	1.4	1.3	1.1	1.0	44.0
42.0	1.5	1.4	1.3	1.2	1.1	1.0	42.0
40.0	1.4	1.3	1.2	1.1	1.0	0.9	40.0
38.0	1.2	1.1	1.1	1.0	0.9	0.9	38.0
36.0	1.1	1.0	1.0	0.9	0.8	0.8	36.0
吊钩高度 m	1						吊钩高度 m
吊钩高度 m	7.5						吊钩高度 m

07 起重性能表

主臂+副臂 (TJ)



单位:t



	50.5m+10.2m			50.5m+17.5m			
	0	15	30	0	15	30	
80.0	6.5	5.0	3.6	3.5	2.5	1.8	80.0
78.0	6.5	5.0	3.5	3.4	2.4	1.7	78.0
76.0	6.2	4.8	3.4	3.3	2.3	1.7	76.0
74.0	5.5	4.5	3.3	3.2	2.2	1.6	74.0
72.0	5.0	4.2	3.2	2.9	2.1	1.6	72.0
70.0	4.8	4.0	3.1	2.8	2.0	1.6	70.0
68.0	4.5	3.8	3.0	2.7	1.9	1.5	68.0
66.0	4.2	3.6	2.9	2.5	1.9	1.5	66.0
64.0	3.9	3.4	2.8	2.4	1.8	1.5	64.0
62.0	3.6	3.2	2.7	2.3	1.7	1.4	62.0
60.0	3.3	3.0	2.6	2.1	1.7	1.4	60.0
58.0	3.1	2.8	2.5	2.0	1.6	1.4	58.0
56.0	2.9	2.6	2.3	1.9	1.6	1.3	56.0
54.0	2.7	2.4	2.2	1.8	1.5	1.2	54.0
52.0	2.4	2.2	2.0	1.7	1.4	1.2	52.0
50.0	2.2	1.9	1.8	1.6	1.3	1.1	50.0
48.0	2.0	1.8	1.6	1.5	1.2	1.1	48.0
46.0	1.8	1.6	1.5	1.4	1.2	1.1	46.0
44.0	1.6	1.5	1.4	1.3	1.1	1.0	44.0
42.0	1.5	1.4	1.3	1.1	1.0	0.9	42.0
40.0	1.2	1.2	1.1	0.9	0.8	0.8	40.0
38.0	1.0	1.0	0.9	0.7	0.6	0.6	38.0
36.0	0.8	0.8	0.8	0.6	0.5	0.5	36.0
	1						
	7.5						

07 起升高度曲线图


主臂+延伸臂+副臂 (TEJ)



07 起重性能表

主臂+延伸臂+副臂 (TEJ)

单位:t




	50.5m+9m			50.5m+9.5m+10.2m				50.5m+9.5m+17.5m			
	0	0	15	30	0	15	30	0	15	30	
80.0	7.5	3.5	2.8	2.2	2.6	1.6	1.4	80.0			
78.0	7.2	3.3	2.6	2.1	2.4	1.5	1.3	78.0			
76.0	7.0	3.1	2.5	2.0	2.1	1.4	1.2	76.0			
74.0	6.5	3.0	2.4	1.9	1.9	1.3	1.1	74.0			
72.0	6.1	2.9	2.3	1.9	1.8	1.2	1.1	72.0			
70.0	5.6	2.7	2.2	1.8	1.6	1.2	1.1	70.0			
68.0	5.3	2.5	2.0	1.7	1.5	1.2	1.0	68.0			
66.0	5.1	2.3	1.9	1.6	1.4	1.1	1.0	66.0			
64.0	4.9	2.1	1.8	1.6	1.3	1.1	1.0	64.0			
62.0	4.7	1.9	1.7	1.5	1.3	1.1	0.9	62.0			
60.0	4.3	1.8	1.6	1.4	1.2	1.0	0.9	60.0			
58.0	4.0	1.7	1.5	1.3	1.2	1.0	0.9	58.0			
56.0	3.7	1.6	1.4	1.2	1.1	1.0	0.8	56.0			
54.0	3.4	1.5	1.3	1.1	1.1	0.9	0.8	54.0			
52.0	3.1	1.4	1.2	1.1	1.0	0.9	0.7	52.0			
50.0	2.8	1.3	1.1	1.0	0.9	0.9	0.7	50.0			
48.0	2.5	1.2	1.1	1.0	0.9	0.8	0.7	48.0			
46.0	2.2	1.1	1.0	0.9	0.8	0.7	0.7	46.0			
44.0	2.0	1.0	0.9	0.9	0.8	0.7	0.6	44.0			
42.0	1.8	0.9	0.8	0.8	0.7	0.6	0.6	42.0			
40.0	1.6	0.8	0.7	0.7	0.6	0.5	0.5	40.0			
38.0	1.4							38.0			
36.0	1.2							36.0			
	1										
	7.5										

07 起重性能表

主臂+延伸臂+副臂 (TEJ)

单位:t



	50.5m+9m			50.5m+9.5m+10.2m			50.5m+9.5m+17.5m			
	0	0	15	30	0	15	30			
80.0	7.5	3.5	2.8	2.2	2.6	1.6	1.4	80.0		
78.0	7.2	3.3	2.6	2.1	2.4	1.5	1.3	78.0		
76.0	7.0	3.1	2.5	2.0	2.1	1.4	1.2	76.0		
74.0	6.5	3.0	2.4	1.9	1.9	1.3	1.1	74.0		
72.0	6.1	2.9	2.3	1.9	1.8	1.2	1.1	72.0		
70.0	5.6	2.7	2.2	1.8	1.6	1.2	1.1	70.0		
68.0	5.3	2.5	2.0	1.7	1.5	1.2	1.0	68.0		
66.0	5.1	2.3	1.9	1.6	1.4	1.1	1.0	66.0		
64.0	4.9	2.1	1.8	1.6	1.3	1.1	1.0	64.0		
62.0	4.7	1.9	1.7	1.5	1.3	1.1	0.9	62.0		
60.0	4.3	1.8	1.6	1.4	1.2	1.0	0.9	60.0		
58.0	4.0	1.7	1.5	1.3	1.2	1.0	0.9	58.0		
56.0	3.7	1.6	1.4	1.2	1.1	1.0	0.8	56.0		
54.0	3.4	1.5	1.3	1.1	1.1	0.9	0.8	54.0		
52.0	3.1	1.4	1.2	1.1	1.0	0.9	0.7	52.0		
50.0	2.8	1.3	1.1	1.0	0.9	0.9	0.7	50.0		
48.0	2.5	1.2	1.1	1.0	0.9	0.8	0.7	48.0		
46.0	2.1	1.1	1.0	0.9	0.8	0.7	0.7	46.0		
44.0	1.8	0.9	0.9	0.9	0.8	0.7	0.6	44.0		
42.0	1.5	0.7	0.7	0.7	0.7	0.6	0.6	42.0		
40.0	1.3	0.5	0.5					40.0		
38.0	1.1							38.0		
36.0	0.9							36.0		
				1						
				7.5						